


ALUMA

www.alumaklm.com

Aluminum Trailers to fit your every need.

Quality
BUILT-IN



5 Year Warranty ■ Lightweight ■ Maintenance Free ■ Durable Construction

ALUMA

www.alumaklm.com



101 East Seneca
Bancroft, IA 50517
866-415-3285
Fax: 515-885-2592



Table of Contents:

Single Axle Trailers	1-3
Tandem Axle Trailers	4-6
ATV Trailers	7-8
Motorcycle Trailers	9-10
Personal Watercraft Trailers	11
Enclosed Trailers	12-15
Enclosed Car Hauler	16
Enclosed Snowmobile Trailers	17-18
Snowmobile Trailers	19-20
Truck Beds	21



Aerial view of Aluma factory

Flatbed Trailers - Single Axle



548

shown w/optional 24" solid side rack, bifold tailgate and swivel jack




GTT

Not meant for highway speeds

5410TWD

shown w/optional aluminum wheels



5410T

shown w/optional jack



MODELS 548-7210

STANDARD FEATURES

	548	5410	5410T	5410TWD	638	6310	6810	6810T	7210
Overall Width	75.5"	75.5"	75.5"	75.5"	84.5"	84.5"	93"	93"	93"
Overall Length	145"	170"	168"	168"	145"	170"	167"	167"	170"
Bed Width	54"	54"	54"	54"	63"	63"	68"	54" wood bed	72"
Bed Length	96"	120"	120"	120" wood bed	96"	120"	117"	117"	120"
Bed Height	16.75"	16.75"	16.75"	16.75"	16.75"	16.75"	16.25"	16.25"	16.75"
Weight	320#	360#	280#	280#	345#	385#	440#	440#	420#
GVWR	2000#	2000#	2000#	2000#	2000#	2000#	2200#	2200#	2200#
Rubber Torsion Axle	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	1-2200#	1-2000#
Wheels	13" Aluminum	13" Aluminum	13" Steel	13" Steel	13" Aluminum	13" Aluminum	13" Aluminum	13" Steel	13" Aluminum
Side Stake Pockets	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side
Aluminum Tongue	3" Formed 2" Coupler	3" Formed 2" Coupler	3" Formed 2" Coupler	2" Formed 2" Coupler	3" Formed 2" Coupler	3" Formed 2" Coupler	A-Frame 2" Coupler	2" Formed 2" Coupler	3" Formed 2" Coupler
Swivel Tongue Jack	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Tailgate	Full width 39" long	Full width 39" long	N/A	N/A	Full width 39" long	Full width 39" long	Full width 44" long	N/A	Full width 44" long

STANDARD FEATURES

GTT

Overall Width x Length	36" x 87"
Overall Height	25"
Bed Width x Length	36" x 48"
Side Height	8"
Weight	82#
Axle	Straight
Wheels	8" Steel
Lighting	N/A
Options	N/A



8112

shown w/optional bifold gates & aluminum wheels



8113

Bifold Gates & Sides Standard



8114



7210

shown w/optional bifold tailgate



6812H

shown w/optional bifold tailgate



MODELS 7710-8114

STANDARD FEATURES

	7710	7710H	7712	7712H	7814ST	8112	8113	8114
Overall Width x Length	101.5" x 176"	101.5" x 176"	101.5" x 194.5"	101.5" x 194.5"	101.5" x 224"	101.5" x 193"	101.5" x 203"	101.5" x 219"
Bed Width x Length	78 x 123"	78 x 123"	78 x 142"	78 x 142"	78 x 170"	81 x 145"	81 x 153"	81 x 171"
Bed Height	16.25"	17.25"	16.25"	17.25"	18.5"	19.25"	18"	19.25"
Weight	525#	595#	570#	620#	900#	610#	820#	695#
GVWR	2200#	2990#	2200#	2990#	2990#	2990#	2990#	2990#
Rubber Torsion	1-2200#	1-3000#	1-2200#	1-3000#	1-3000#	1-3000#	1-3000#	1-3000#
Wheels	13" aluminum	14" aluminum	13" aluminum	14" aluminum	14" aluminum	14" steel	14" aluminum	14" steel
Side Stake Pockets	4 total 2 per side	4 total 2 per side	4 total 2 per side	4 total 2 per side	6 total 3 per side	no pockets 6 tie loops	no pockets 6 tie loops	no pockets 8 tie loops
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Swivel Tongue Jack	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity
Tailgate	full width 44" long	full width 44" long	full width 44" long	full width 44" long	full width 44" long	2-69" ramps standard	R=75.75" x 59" S=69.25 x 59"	2-69" ramps standard

MODELS 6310H-7210H

STANDARD FEATURES

	6310H	6314H	6810H	6812H	7210H
Overall Width x Length	83.5" x 168"	84.5" x 218"	93" x 167"	93" x 196"	93" x 170"
Bed Width x Length	62.5" x 120"	63" x 168"	68" x 117"	68" x 144"	72" x 120"
Bed Height	18"	18"	18"	18"	18"
Weight	460#	500#	490#	510#	500#
GVWR	2990#	2990#	2990#	2990#	2990#
Rubber Torsion Axle	1-3000#	1-3000#	1-3000#	1-3000#	1-3000#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Stake Pockets	4 total 2 per side	6 total 3 per side	4 total 2 per side	6 total 3 per side	4 total 2 per side
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Swivel Tongue Jack	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity
Tailgate	full width 44" long	full width 44" long	full width 44" long	full width 44" long	full width 44" long

Flatbed Trailers - Single Axle



638

shown w/optional bifold tailgate



6810H

shown w/optional 12" solid side rack set & bifold tailgate



6810T

shown w/optional aluminum wheels



7712H

shown w/optional 24" sides



7818


Fenders remove for loading cars



8118



OPTIONAL FEATURES



Aluminum Rock Guard
All Models



Stainless Steel Recessed Tie Rings
All Models



Bifold Tailgate
All Models



Motorcycle Brackets
All Models



Tongue Handle
All Models



Front Storage Box
641-7800-8200 Series

MODELS 6316-8118						
	6316	7812	7814	7816	7818	8118
Overall Width x Length	84.5" x 242"	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 267"
Bed Width x Length	63 x 192"	78 x 144"	78 x 168"	78 x 192"	78 x 216"	81 x 216"
Bed Height	16.25"	18.5"	18.5"	18.5"	18.5"	18.5"
Weight	600#	900#	1000#	1050#	1100#	1360#
GVWR	2990#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes both Axles	2-2000#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	13" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders		removable	removable	removable	removable	welded
Side Stake Pockets	6 total 3 per side	4 total 2 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 tie loops 3 per side
Ramps/Tailgate	Full width 39" long	2-5' pull out ramps	2-5' pull out ramps	2-5' pull out ramps	2-5' pull out ramps	5-75.75"x59" 5-69.25"x59"
Aluminum Tongue Coupler	A frame 2" Coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A-Frame 2" Coupler
Swivel Tongue Jack	800# Capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# Capacity
Aluminum Rear Stabilizer Jacks		2-1 per side	2-1 per side	2-1 per side	2-1 per side	3 total
Breakaway switch with battery		standard	standard	standard	standard	standard

STANDARD FEATURES

Flatbed Trailers - Tandem Axle



8218
Fenders remove for loading cars



8218 Tilt
Fenders remove for loading cars



20" stationary plus 18' or 20' tilt bed

MODELS 8212-8224

STANDARD FEATURES

	8212	8214	8216	8218	8220	8222H	8224H
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"	101.5" x 340"
Bed Width x Length	82x144"	82x168"	82x192"	82x216"	82x240"	82x264"	82x288"
Bed Height	20"	20"	20"	20"	20"	20.75"	20.75"
Weight	1180#	1230#	1280#	1350#	1500#	1650#	1750#
GVWR	7000#	7000#	7000#	7000#	7000#	9600#	9600#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-4800#	2-4800#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	15" aluminum	15" aluminum
Aluminum Fenders	removable	removable	removable	removable	removable	removable	removable
Side Stake Pockets	4 total 2 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	8 total 4 per side	8 total 4 per side
Ramps	2-5' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out
Aluminum Tongue	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 44.5" long 2-5/16" coupler	A frame 44.5" long 2-5/16" coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	double wheel 1200# capacity	double wheel 1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway Switch with battery	standard	standard	standard	standard	standard	standard	standard

MODELS 8218, 8220 Tilt

STANDARD FEATURES

	8218 tilt	8220 tilt
Overall Width x Length	101.5" x 294"	101.5" x 319"
Bed Width x Length	82" x 219"	82" x 243.5"
Bed Height	20.75"	20.75"
Weight	1350#	1500#
GVWR	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500# optional 2-4800#	2-3500# optional 2-4800#
Wheels	14" aluminum 15" optional	14" aluminum 15" optional
Aluminum Fenders	removable	removable
Side Stake Pockets	8 total 4 per side	8 total 4 per side
Aluminum Tongue	A frame 44.5" long 2-5/16" coupler	A frame 44.5" long 2-5/16" coupler
Padded Tongue Jack	2500#	2500#
Breakaway Switch with battery	standard	standard



Built to last.

1020
shown w/optional rock guard



8214WB
shown w/optional rock guard
and tool box



MODELS 1020-1026

STANDARD FEATURES

	1020	1022	1024	1026
Overall Width x Length	101.5" x 294"	101.5" x 318"	101.5" x 342"	101.5" x 366"
Bed Width x Length	101.5" x 240"	101.5" x 264"	101.5" x 288"	101.5" x 312"
Bed Height	30.5"	30.5"	30.5"	30.5"
Weight	1500#	1575#	1650#	1725#
GVWR	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Dove Tail	48" long 8" drop	48" long 8" drop	48" long 8" drop	48" long 8" drop
Deck Style	full railing or rub rail	full railing or rub rail	full railing or rub rail	full railing or rub rail
Tailgates/Ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps
Aluminum Tongue	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway Switch with battery	standard	standard	standard	standard

MODEL 8212WB-8222WB

STANDARD FEATURES

	8212WB	8214WB	8216WB	8218WB	8220WB	8222WB
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"
Bed Width	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back
Bed Length	144"	168"	192"	216"	240"	264"
Bed Height	22.5"	22.5"	22.5"	22.5"	22.5"	22.5"
Weight	1180#	1230#	1280#	1350#	1500#	1650#
GVWR	7000#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders	welded	welded	welded	welded	welded	welded
Side Stake Pockets	10 total 5/8" welded behind rub rail	10 total 5/8" welded behind rub rail	10 total 5/8" welded behind rub rail	10 total 5/8" welded behind rub rail	10 total 5/8" welded behind rub rail	10 total 5/8" welded behind rub rail
Ramps	2-5' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out
Aluminum Tongue	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway switch with battery	standard	standard	standard	standard	standard	standard

A212 ATV



Special Feature—Removable end and side gates convert to ramps for easy loading of ATVs.

6314H

shown w/optional bifold tailgate



A315 ATV



shown with optional rear ramp

ATV/UTILITY MODELS			
	A212	A315	6314H
Overall Width x Length	85" x 195"	93" x 246"	84.5" x 218"
Bed Width & Length	79.5 x 144"	89 x 190"	63 x 168"
Bed Height	21"	22.25"	18"
Weight	560#	700#	500#
GVWR	2990#	2990#	2990#
Rubber Torsion Axle	1-3000#	1-3500#	1-3000#
Wheels	14" aluminum	14" aluminum	14" aluminum
Tie Down Loops	8	8	optional
Ramps	4 total 2'-41" 2'-69"	4-69"	N/A
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Swivel Tongue Jack	800# capacity	800# capacity	800# capacity
Tailgate	optional	optional	full width 39" long

STANDARD FEATURES

Count on ALUMA trailers to get you on the road to adventure quickly and reliably.



A8816 ATV



A888 ATV



DECK OVER ATV/UTILITY MODELS


	A888	A8812	A8816	
STANDARD FEATURES	Overall Width x Length	88" x 145"	88" x 199"	88" x 243"
	Bed Width x Length	88" x 100"	88" x 154"	88" x 198"
	Bed Height	29.5"	29.5"	29.5"
	Weight	400#	570#	760#
	GVWR	2200#	2990#	2990#
	Rubber Torsion Axle	1-2200#	1-3500#	2-2200# standard brakes
	Wheels	13" steel	13" steel	13" steel
	Tie-Down Loops	6	8	10
	Ramps	2-69"	4-69"	4-69"
	Aluminum Tongue	A-frame 2" coupler	A-frame 2" coupler	A-frame 2" coupler
Swivel Tongue Jack	optional	800# capacity	800# capacity	



Motorcycle Trailers



**MC1F Folding
(95" upright)**



TK1



**MC2F Folding
(89.5" upright)**



MC210



**MC10
shown w/optional jack**

MOTORCYCLE/ UTILITY MODELS						
	MC10	MC1F	MC210	MC2F	TK1	
STANDARD FEATURES	Overall Width x Length	74.5" x 174.5"	74.5" x 125.5" stands 95"	101.5" x 174.5"	94" x stands 89.5"	86" x 186"
	Bed Width x Length	51 x 137"	51 x 106"	77 x 137"	72 x 115"	63 x 132"
	Bed Height	16"	16.25"	18"	18.5"	17"
	Weight	390#	380#	540#	520#	520#
	GVWR	2000#	2000#	2990#	2990#	2990#
	Rubber Torsion Axle	1-2000#	1-2000#	1-3000#	1-3000#	1-3000#
	Wheels	13" aluminum	13" aluminum	14" aluminum	14" aluminum	14" aluminum
	Tie Down Loops	4	4	8 stainless steel recessed	5	4 stainless steel recessed
	Ramps	45" wide 45.5" long	27 5/8" wide 47.5" long	45" wide 47.5" long	27 5/8" wide 47.5" long	57" wide 45.5" long
	Aluminum Tongue	straight 2" coupler	straight 2" coupler	straight 2" coupler	straight foldable 2" coupler	straight 2" coupler
	Swivel Tongue Jack	optional	optional	800# capacity	800# capacity	800# capacity
	Motorcycle Bracket	1-3'	1-3'	2-3'	2-3'	1-3'
	Aluminum Shield	24" tall	24" tall	24" tall	24" tall	24" tall with storage box





MCTXL

Color choices for all enclosed trailers



MCT



MCTXL



MOTORCYCLE TRAILERS

STANDARD FEATURES

	MCT	MCTXL
Overall Width x Length	45" x 85"	45" x 97"
Bed Width x Length	27" x 45"	27" x 57"
Interior Height	21.5"	21.5"
Bed Height	14"	14"
Coupler Size	1-7/8"	1-7/8"
Weight	200#	225#
Rubber Torsion Axle	1-600#	1-600#
Wheels	12" aluminum	12" aluminum
Lighting	LED standard 5 rnd harness	LED standard 5 rnd harness
Cooler Tray and Kick Stand	standard	standard



PWC1 Single Place Watercraft Trailer
shown w/optional jack

PWC2 Two-Place Watercraft Trailer



STANDARD FEATURES

PWC/RAFT MODELS

	PWC1	PWC2	8414RT
Overall Width x Length	63" x 161"	101" x 181"	84" x 220"
Bed Width	46" between fenders	82" between fenders	84"
Bed Length	1-72" adjustable bunk	2-72" adjustable bunk	168"
Bed Height	18" to side frame	18" to side frame	29.5"
Weight	245#	413#	570#
GVWR	1500#	2700#	2200#
Axle	1-1500# spring	1-2700# spring	1-2200# rubber torsion
Wheels	12" steel	13" steel	13" steel
Adjustable Winch	1	2	1
Tie Down Loops	2	3	10
Rear Roller	N/A	N/A	full width
Swivel Tongue Jack	optional	800# capacity	800# capacity
Aluminum Tongue	straight 2" coupler	straight 2" coupler	A frame 2" coupler



8414 RT Raft Trailer





AE716TAM

AE722TAV



8612 C



8612C All Sport Trailer

STANDARD FEATURES

	8612C
Overall Width x Length	102" x 205"
Overall Height	101"
Bed Width	100"
Bed Height	32"
Interior Height	69"
Weight	1100#
GVWR	2990 (no brakes)
Coupler	2"
Rubber Torsion	3000"
Wheels	14" steel
Front Door	24" X 48"
Rear Door	aluminum ramp with cable assist
Rear opening	W=95.5" H=65.5"

Single Axle Enclosed Trailers



AE610



AE58



ENCLOSED - SINGLE AXLE

STANDARD FEATURES

	AE46	AE58	AE510	AE610	AE612	AE710	AE712
Overall Width x Length	64" x 120"	81" x 150"	81" x 176"	93" x 182"	93" x 206"	101" x 188"	101" x 212"
Overall Height	39"	80"	80"	92"	92"	92"	92"
Bed Width	48"	57.5"	57.5"	69.5"	69.5"	81.5"	81.5"
Bed length not including V-Nose	72"	92"	116"	116"	140"	116"	140"
V-Nose	N/A	30" standard	30" standard	36" standard	36" standard	42" standard	42" standard
Bed Height	14.5"	18.25"	18.25"	18.25"	18.25"	19.25"	19.25"
Interior Height	21"	60"	60"	72"	72"	72"	72"
Weight	340#	790#	985#	1120#	1250#	1275#	1385#
GVWR	1200#	2990#	2990#	2990#	2990#	2990#	2990#
Rubber Torsion Axle	1-1200#	1-3000#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	13" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	Lockable Lid	optional	optional	32" standard	32" standard	32" standard	32" standard
Rear Door	N/A	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp
Rear Opening	N/A	w=51.5" h=56.25"	w=51.5" h=56.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"

STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 5/16" plywood-lined walls to ceiling
- LED lighting
- Swivel tongue jack 800# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof



AE46

LED Lights - Standard on all Enclosed Trailers





AE614TA



AE714TA

ENCLOSED - TANDEM AXLE

		AE612TA	AE614TA	AE616TA	AE618TA	AE712TA	AE714TA	AE716TA	AE718TA
STANDARD FEATURES	Overall Width x Length	93" x 216"	93" x 236"	93" x 260"	93" x 290"	101" x 218"	101" x 242"	101" x 266"	101" x 290"
	Overall Height	92"	92"	92"	92"	93"	93"	93"	93"
	Bed Width	69.5"	69.5"	69.5"	69.5"	81.5"	81.5"	81.5"	81.5"
	Bed length not including V-Nose	142"	165"	190"	214"	142"	165"	190"	214"
	V-Nose	36" standard	36" standard	36" standard	36" standard	42" standard	42" standard	42" standard	42" standard
	Bed Height	18.25"	18.25"	18.25"	18.25"	19.25"	19.25"	19.25"	19.25"
	Interior Height	72"	72"	72"	72"	72"	72"	72"	72"
	Weight	1660#	1770#	1880#	1990#	1700#	1850#	2000#	2150#
	GVWR	7000#	7000#	7000#	7000#	7000#	7000#	7000#	7000#
	Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	
Side Door	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	
Rear Door	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	
Rear Opening	w=63.5" h=68.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	

STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 5/16" plywood-lined walls to ceiling
- LED lighting
- Swivel tongue jack 1200# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof



*shown with optional spare tire,
spare tire mount and
Lock N Load wheel chocks*

SPORT PACKAGE STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 32" side door
- 5/16" white poly coated lined walls to ceiling
- LED lighting
- Swivel tongue jack 1200# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof
- Aluminum rear ramp door with cable assist
- Crank-up roof vent or (2) side vents
- Rear stabilizer legs
- (4) or (6) Flush mount tie rings

Available in 5', 6', & 7' Widths

Single Axle Enclosed Trailer



Tandem Axle Enclosed Trailer





AER Inside Trailer


*shown with optional E-Trac,
white lining upgrade on walls,
and 48" escape door*

STANDARD FEATURES

**8'6" WIDE TANDEM
AXLE ENCLOSED TRAILERS**

	AER816TA	AER818TA	AER820TA	AER822TA	AER824TA
Overall Width x Length	102" x 270"	102" x 294"	102" x 319"	102" x 342"	102" x 366"
Overall Height	103.5"	103.5"	103.5"	103.5"	103.5"
Bed Width	99" wall to wall	99" wall to wall	99" wall to wall	99" wall to wall	99" wall to wall
Bed Width between Fenders	83"	83"	83"	83"	83"
Bed Length not including V-Nose	192"	216"	240"	264"	288"
V-Nose	46" standard	46" standard	46" standard	46" standard	46" standard
Bed Height	23.75"	23.75"	23.75"	23.75"	23.75"
Interior Height	78"	78"	78"	78"	78"
Weight	2580#	2760#	2940#	3120#	3300#
GVWR	9600#	9600#	9600#	9600#	9600#
Coupler	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-4800#	2-4800#	2-4800#	2-4800#	2-4800#
Wheels	15" aluminum	15" aluminum	15" aluminum	15" aluminum	15" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard	32" standard
Rear Door	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist
Rear Opening	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"
Dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail

AER820TA



7'-Wide Enclosed Snow/Sport Trailers



7' WIDE SNOWMOBILE/SPORT TRAILER

STANDARD FEATURES

	AE714TAV	AE718TAV	AE722TAV	AE724TAV
Overall Width x Length	102" x 260"	102" x 306"	102" x 354"	102" x 378"
Overall Height	93"	93"	93"	93"
Bed Width	81.75"	81.75"	81.75"	81.75"
Bed Length not including V-Nose	168"	216"	264"	288"
V-Nose	60" standard	60" standard	60" standard	60" standard
Bed Height	19.5"	19.5"	19.5"	19.5"
Interior Height	72"	72"	72"	72"
Weight	2020#	2220#	2420#	2570#
GVWR	7000#	7000#	7000#	7000#
Coupler	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard
Front Ramp Door	w=60.75" h=64.5"	w=60.75" h=64.5"	w=60.75" h=64.5"	w=60.75" h=64.5"
Rear Ramp Opening	w=75.5" h=67.5"	w=75.5" h=67.5"	w=75.5" h=67.5"	w=75.5" h=67.5"
Front & Rear Ramps	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist



STANDARD FEATURES

- Full-length slider channel
- 5/8" marine grade plywood floor
- 2 interior lights with switch
- Swivel tongue jack 1200# capacity
- 5/16" plywood walls lined to ceiling
- LED lighting
- Rivetless .030 aluminum skin
- One-piece aluminum roof
- Snowmobile ski tie-downs

Enclosed Snowmobile/Sport Trailer





Enclosed Snowmobile Trailer Interior

8'6" WIDE TANDEM SNOWMOBILE/SPORT TRAILER		
	AE8620	AE8624
Overall Width x Length	102" x 320"	102" x 370"
Overall Height	98"	98"
Bed Width	98.5"	98.5"
Bed Length not including V-Nose	240"	288"
V-Nose	60" standard	60" standard
Bed Height	31"	31"
Interior Height	66"	66"
Weight	2600#	2900#
GVWR	7000#	7000#
Coupler	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum
Side Door	32" standard	32" standard
Front Ramp Door	w=57.75" h=58.5"	w=57.75" h=58.5"
Rear Ramp Opening	w=92" h=65"	w=92" h=65"
Front & Rear Ramps	aluminum ramp with cable assist	aluminum ramp with cable assist

STANDARD FEATURES

AE8624
Enclosed Snowmobile/Sport Trailer




shown with optional 6" ATP down sides

DRIVE ON/OFF SNOWMOBILE TRAILERS

STANDARD FEATURES

- Full-length slider channels
- 5/8" marine grade plywood decking
- Rubber mounted sealed lights
- Aluminum ski tie-down bars

8610T & 8612T



shown w/optional salt shield

2 PLACE DRIVE ON/DRIVE OFF

	8610D	8612D
Overall Width x Length	102" x 191"	102" x 215"
Bed Width x Length	100" x 120"	100" x 144"
Bed Height	24.5"	26"
Weight	450#	480#
GVWR	2200#	2200#
Rubber Torsion Axles	1-2200#	1-2200#
Wheels	10" steel	10" steel
Swivel Tongue Jack	optional	optional
Tongue	A frame 2" ball	A frame 2" ball
Floor	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional

TILT BED SNOWMOBILE TRAILERS			
	8605	8610T	8612T
Overall Width x Length	50" x 170"	102" x 170"	102" x 194"
Bed Width x Length	50" x 120"	100" x 120"	100" x 144"
Bed Height	24.5"	24.5"	24.5"
Weight	300#	425#	460#
GVWR	1200#	2200#	2200#
Rubber Torsion Axle	1-1200#	1-2200#	1-2200#
Wheels	10" steel	10" steel	10" steel
Swivel Tongue Jack	optional	optional	optional
Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood	5/8" marine tech plywood

Options are Available for all Model Numbers

OPTIONS
recessed tie downs
spare tire mounting bracket
swivel tongue jack
electric/surge brakes
tongue handle
spare tire and galphrite steel wheels
20.5x8.5x10" 6-ply 1105# cap./tire
ST175/80R13 4-ply 1340# cap./tire

8612

shown w/optional combination salt shield & drive-off ramp



3 PLACE DRIVE ON/DRIVE OFF			
	8614	8616	
STANDARD FEATURES	Overall Width x Length	102" x 240"	102" x 264"
	Bed Width x Length	100" x 168"	100" x 192"
	Bed Height	26"	26"
	Weight	850#	875#
	GVWR	2990#	4400#
	Rubber Torsion Axles	2-2200#	2-2200#
	Brakes Both Axles	optional	standard
	Wheels	10" steel	10" steel
	Swivel Tongue Jack	750# capacity	750# capacity
	Tongue	A frame 2" coupler	A frame 2" coupler
	Floor	5/8" marine tech plywood	5/8" marine tech plywood
	Ramp	54" x 72" storage underneath	54" x 72" storage underneath
	Aluminum Salt Shield	optional	optional



8614
shown with optional 13" aluminum wheels and combo shield



8620 Snowmobile Trailer
shown with optional combination salt shield & drive-off ramp

POPULAR OPTIONS
<ul style="list-style-type: none"> • Tilt bed salt shield • Combo shield for drive-on/ drive off • 13" or 15" wheel upgrades in either steel or aluminum wheels • Recessed tie rings • Spare tire • Spare tire mounting bracket • LED lights • Tongue handle

4 PLACE DRIVE ON/DRIVE OFF				
	8618	8620	8622	
STANDARD FEATURES	Overall Width x Length	102" x 288"	102" x 312"	102" x 336"
	Bed Width x Length	100" x 216"	100" x 240"	100" x 264"
	Bed Height	28"	28"	28"
	Weight	925#	1025#	1105#
	GVWR	4400#	4400#	4400#
	Rubber Torsion Brakes both Axles	2-2200#	2-2200#	2-2200#
	Wheels	10" steel	10" steel	10" steel
	Swivel Tongue Jack	750# capacity	750# capacity	750# capacity
	Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
	Floor	5/8" marine tech plywood	5/8" marine tech plywood	5/8" marine tech plywood
	Ramp	54" x 72" storage underneath	54" x 72" storage underneath	54" x 72" storage underneath
	Aluminum Salt Shield	optional	optional	optional

STANDARD FEATURES

- Extruded aluminum floor with drop rear skirt
- 1/4" x 2" Rub rail with Stake pockets
- Headache rack with sealed beam lights
- 3" channel main stringers adjustable to fit different models of trucks
- Recessed sealed beam lights
2 taillights; 7 clearance lights
- License plate light
- Pre-wired and lights installed

OPTIONS

- Gooseneck Hitch opening with removable door
- Backup light
- Sides and Tailgate
- LED Upgrade

SPECIFICATIONS

	Model # 6600/6800	Model # 8100	Model # 9000	Model # 9600
BED SIZE & WEIGHT	66" x 77" 170#			
	66" x 87" 180#	81" x 87" 275#		
	68" x 87" 187#			
		81" x 96" 285#	90" x 96" 298#	96" x 96" 307#
		81" x 106" 295#	90" x 106" 310#	96" x 106" 320#
		81" x 115" 305#	90" x 115" 322#	96" x 115" 332#
		81" x 125" 316#	90" x 125" 333#	96" x 125" 345#
			90" x 144" 345#	96" x 144" 358#
				96" x 168" 380#
				96" x 192" 400#



Shown with:

- **Sides and Tailgate**
- **1/4" x 2" Rub rail with Stake pockets**

**Truck Bed with
Gooseneck and Trap Door**



**For more information, contact your local dealer.
Specifications subject to change without notice.**





"All-Aluminum Trailers"

About Aluma


In 1992 Aluma was born from a few requests from friends to have a light trailer to haul their golf carts on. Aluma started in a small building with 5 people and has grown to a 72,000-square-foot building in Bancroft, Iowa. We currently sell in all 50 states and Canada through dealers. We may have grown larger in size, but we still have the small-town values and pride shown in every trailer that we produce. We back each trailer with our 5-year all-inclusive warranty. We are a family owned and operated business proud to build products with Quality built-in.



THEN



NOW



Picnic tables 6', 8' & 4-sided and park bench available in tan, forest green and pewter.

101 East Seneca • Bancroft, IA 50517
866-415-3285 • Fax: 515-885-2592