



Aluminum Trailers to fit your every need.

Quality
BUILT-IN



5 Year Warranty ■ Lightweight ■ Maintenance Free ■ Durable Construction



101 East Seneca
Bancroft, IA 50517
866-415-3285
Fax: 515-885-2592



Table of Contents:

Single Axle Trailers	1-3
Tandem Axle Trailers	4-6
ATV Trailers	7-8
Motorcycle Trailers	9-10
Personal Watercraft Trailers	11
Enclosed Trailers	12-15
Enclosed Car Hauler	16
Enclosed Snowmobile Trailers	17-18
Snowmobile Trailers	19-20
Truck Beds	21



Aerial view of Aluma factory

Flatbed Trailers - Single Axle



548
shown w/optional bifold tailgate and jack



486



5410T
shown w/optional jack

		MODELS 486-7210								
		486	548	5410	5410T	638	6310	6316	6810	7210
STANDARD FEATURES	Overall Width	65.5"	75.5"	75.5"	75.5"	84.5"	84.5"	84.5"	93"	93"
	Overall Length	120"	145"	170"	168"	145"	170"	242"	167"	170"
	Bed Width	48"	54"	54"	54"	63"	63"	63"	68"	72"
	Bed Length	72"	96"	120"	120"	96"	120"	192"	117"	120"
	Bed Height	15"	16.75"	16.75"	16.75"	16.75"	16.75"	16.25"	16.25"	16.75"
	Weight	245#	320#	360#	280#	345#	385#	600#	440#	420#
	GVWR	1200#	2000#	2000#	2000#	2000#	2000#	2990#	2200#	2200#
	Rubber Torsion Axle	1-1200#	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	2-2000#	1-2000#	1-2000#
	Wheel	12" Steel	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum
	Side Stake Pockets	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	6 Total 3 per Side	4 Total 2 per Side	4 Total 2 per Side
Aluminum Tongue	3" Formed 2" Coupler	3" Formed 2" Coupler	3" Formed 2" Coupler	3" Formed 2" Coupler	3" Formed 2" Coupler	3" Formed 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	3" Formed 2" Coupler	
Swivel Tongue Jack	Optional	Optional	Optional	Optional	Optional	Optional	800# Capacity	Optional	Optional	
Tailgate	Full width 39" long	Full width 39" long	Full width 39" long	Full width 39" long	Full width 39" long	Full width 39" long	Full width 39" long	Full width 44" long	Full width 44" long	



8112



8113
Bifold Gates & Sides Standard



MODELS 7710-8114

STANDARD FEATURES	7710	7710H	7712	7712H	7814ST	8112	8113	8114	
	Overall Width x Length	101.5" x 176"	101.5" x 176"	101.5" x 194.5"	101.5" x 194.5"	101.5" x 224"	101.5" x 193"	101.5" x 203"	101.5" x 219"
	Bed Width x Length	78 x 123"	78 x 123"	78 x 142"	78 x 142"	78 x 170"	81 x 145"	81 x 153"	81 x 171"
	Bed Height	16.25"	17.25"	16.25"	17.25"	18.5"	19.25"	18"	19.25"
	Weight	525#	595#	570#	520#	900#	610#	820#	695#
	GVWR	2200#	2990#	2200#	2990#	2990#	2990#	2990#	2990#
	Rubber Torsion	1-2200#	1-3000#	1-2200#	1-3000#	1-3000#	1-3000#	1-3000#	1-3000#
	Wheels	13" aluminum	14" aluminum	13" aluminum	14" aluminum	14" aluminum	14" steel	14" aluminum	14" steel
	Side Stake Pockets	4 total 2 per side	4 total 2 per side	4 total 2 per side	4 total 2 per side	6 total 3 per side	no pockets 6 tie loops	no pockets 6 tie loops	no pockets 8 tie loops
	Aluminum Tongue Swivel Tongue Jack	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity
Tailgate	full width 44" long	full width 44" long	full width 44" long	full width 44" long	full width 44" long	2-69" ramps standard	R=75.75" x 59" S=69.25 x 59"	2-69" ramps standard	

8114

shown w/optional bifold tailgate



6310H

shown w/optional bifold tailgate



6812H

shown w/optional bifold tailgate



MODELS 6310H-7210H

STANDARD FEATURES	6310H	6314H	6810H	6812H	7210H	
	Overall Width x Length	83.5" x 168"	84.5" x 218"	93" x 167"	93" x 196"	93" x 170"
	Bed Width x Length	62.5" x 120"	63" x 168"	68" x 117"	68" x 144"	72" x 120"
	Bed Height	18"	18"	18"	18"	18"
	Weight	460#	500#	490#	510#	500#
	GVWR	2990#	2990#	2990#	2990#	2990#
	Rubber Torsion Axle	1-3000#	1-3000#	1-3000#	1-3000#	1-3000#
	Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
	Side Stake Pockets	4 total 2 per side	6 total 3 per side	4 total 2 per side	4 total 2 per side	4 total 2 per side
	Aluminum Tongue Swivel Tongue Jack	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity	A frame 2" coupler 800# capacity
Tailgate	full width 39" long	full width 39" long	full width 44" long	full width 44" long	full width 44" long	

638 with Side Rack
shown w/optional side rack set



6810
*shown w/optional solid side rack set
& bifold tailgate*



7712H



7816

Fenders remove for loading cars



8118

OPTIONAL FEATURES

MODELS 7812-8118

STANDARD FEATURES

	7812	7814	7816	7818	8118
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 267"
Bed Width x Length	78 x 144"	78 x 168"	78 x 192"	78 x 216"	81 x 216"
Bed Height	18.5"	18.5"	18.5"	18.5"	18.5"
Weight	900#	1000#	1050#	1100#	1360#
GVWR	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders	removable	removable	removable	removable	welded
Side Stake Pockets	4 total 2 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 tie loops 3 per side
Ramps/Tailgate	2-5" pull out ramps	2-5" pull out ramps	2-5" pull out ramps	2-5" pull out ramps	\$=75.75"x59" \$=69.25"x59"
Aluminum Tongue Coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	3 total
Breakaway switch with battery	standard	standard	standard	standard	standard



Aluminum Rock Guard
All Models




Stainless Steel Recessed Tie Rings
All Models



Motorcycle Brackets
All Models



Bifold Tailgate
All Models



Tongue Handle
All Models



Front Storage Box
641-7800-8200 Series

8200

Fenders remove for loading cars



8214WB

shown w/optional rock guard and tool box



MODELS 8212-8222						
	8212	8214	8216	8218	8220	8222
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"
	82 x 144"	82 x 168"	82 x 192"	82 x 216"	82 x 240"	82 x 264"
Bed Width x Length						
Bed Height	20"	20"	20"	20"	20"	20"
Weight	1180#	1230#	1280#	1350#	1500#	1650#
GVWR	7000#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders	removable	removable	removable	removable	removable	removable
Side Stack Pockets	4 total 2 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side
Ramps	2-5' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out
Aluminum Tongue	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" couple
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway Switch with battery	standard	standard	standard	standard	standard	standard

MODEL 8212WB-8222WB						
	8212WB	8214WB	8216WB	8218WB	8220WB	8222WB
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"
	82" between fenders 96" front and back	82" between fenders 96" front and back	82" between fenders 96" front and back	82" between fenders 96" front and back	82" between fenders 96" front and back	82" between fenders 96" front and back
Bed Width						
Bed Length	144"	168"	192"	216"	240"	264"
Bed Height	22.5"	22.5"	22.5"	22.5"	22.5"	22.5"
Weight	1180#	1230#	1280#	1350#	1500#	1650#
GVWR	7000#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Break Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders	welded	welded	welded	welded	welded	welded
Side Stake Pockets	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail
Ramps	2-5' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out
Aluminum Tongue	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway switch with battery	standard	standard	standard	standard	standard	standard



Built to last.



1020

shown with 6' ramps stored underneath & rub rail



9918

STANDARD FEATURES

MODELS 9918-1026						
	9918	9920	1020	1022	1024	1026
Overall Width x Length	99.5" w/rub rail 283.75"	99.5" w/rub rail 307.75"	101.5" x 294"	101.5" x 318"	101.5" x 342"	101.5" x 366"
	99.5" w/rub rail 216"	99.5" w/rub rail 240"	101.5" x 240"	101.5" x 264"	101.5" x 288"	101.5" x 312"
Bed Height	30"	30"	30.5"	30.5"	30.5"	30.5"
Weight	1150#	1250#	1500#	1575#	1650#	1725#
GVWR	4400#	4400#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-2200#	2-2200#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	13" steel	13" steel	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Dove tail	36" long 6" drop	36" long 6" drop	48" long 8" drop	48" long 8" drop	48" long 8" drop	48" long 8" drop
Deck style	rub rail	rub rail	full railing or rub rail	full railing or rub rail	full railing or rub rail	full railing or rub rail
Tailgates/Ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler	A frame 2-5/16" coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	optional	optional	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway Switch with battery	standard	standard	standard	standard	standard	standard

STANDARD FEATURES




**Removable Fenders
7800-8200 Series**



**Ramps
7800-1020 Series**



**Swivel Jack
1200# Capacity**



**1020 Shown with
Dovetail and
Bifold Tailgate
(Standard Features)**

A212 ATV



Special Feature—Removable end and side gates convert to ramps for easy loading of ATVs.

6314H



A315 ATV



shown with optional rear ramp

ATV/UTILITY MODELS		A212	A315	6314H
STANDARD FEATURES	Overall Width x Length	85" x 195"	93" x 246"	84.5" x 218"
	Bed Width & Length	79.5 x 144"	89 x 190"	63 x 168"
	Bed Height	21"	22.25"	18"
	Weight	560#	700#	500#
	GVWR	2990#	2990#	2990#
	Rubber Torsion Axle	1-3000#	1-3500#	1-3000#
	Wheels	14" aluminum	14" aluminum	14" aluminum
	Tie Down Loops	8	8	optional
	Ramps	4 total 2-41" 2-69"	4-69"	N/A
	Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
	Swivel Tongue Jack	optional	optional	800# capacity
	Tailgate	optional	optional	full width 39" long

Count on ALUMA trailers to get you on the road to adventure quickly and reliably.



A8816 ATV



A888 ATV



Pac Rat 9
*smaller trailer stores below
larger trailer for transport*



		DECK OVER ATV/UTILITY MODELS					
		A888	A8812	A8816	PACRAT9	PACRAT12	PACRAT BOTTOM TRAILER
STANDARD FEATURES	Overall Width x Length	88" x 145"	88" x 199"	88" x 243"	88" x 161"	88" x 199"	51.5" x 114"
	Bed Width x Length	88" x 100"	88" x 154"	88" x 198"	88" x 110"	88" x 154"	54" x 74.5"
	Bed Height	25"	29.5"	29.5"	28.5"	29"	20.5"
	Weight	400#	570#	760#	710# including bottom trailer	800# including bottom trailer	171#
	GVWR	2200#	2990#	2990#	2200#	2990#	off road only
	Rubber Torsion Axle	1-2200#	1-3500#	2-2200# brakes optional	1-2200#	1-3500#	1-1000# strait axle
	Wheels	10" steel	13" steel	13" steel	13" aluminum	14" aluminum	8" steel
	Tie-Down Loops	6	8	10	6	8	optional
	Ramps	2-69"	4-69"	4-69"	4 total 2-69" 2-41"	4-69"	optional
	Aluminum Tongue	A-frame 2" coupler	A-frame 2" coupler	A-frame 2" coupler	A-frame 2" coupler	A-frame 2" coupler	strait
Swivel Tongue Jack	optional	optional	800# capacity	800# capacity	800# capacity	N/A	

Motorcycle Trailers



MC1F Folding
(95" upright)



TK1



MC210



MC2F Folding
(89.5" upright)



MC10

MOTORCYCLE/ UTILITY MODELS					
	MC10	MC1F	MC210	MC2F	TK1
Overall Width x Length	74.5" x 158"	74.5" x 125.5" stands 95"	101.5" x 161"	94" x 140" stands 89.5"	86" x 169"
Bed Width x Length	51 x 125"	51 x 106"	77 x 134.5"	72 x 115"	63 x 120"
Bed Height	16"	16.25"	18"	18.5"	17"
Weight	390#	380#	540#	520#	520#
GVWR	2000#	2000#	2990#	2990#	2990#
Rubber Torsion Axle	1-2000#	1-2000#	1-3000#	1-3000#	1-3000#
Wheels	13" aluminum	13" aluminum	14" aluminum	14" aluminum	14" aluminum
Tie Down Loops	4	4	8 stainless steel recessed	5	4 stainless steel recessed
Ramps	45" wide 45.5" long	27 5/8" wide 47.5" long	45" wide 47.5" long	27 5/8" wide 47.5" long	57" wide 45.5" long
Aluminum Tongue 2" coupler	strait	strait	strait	strait foldable	strait
Swivel Tongue Jack	optional	optional	optional	optional	optional
Motorcycle Bracket	1-3'	1-3'	2-3'	2-3'	1-3'
Aluminum Shield	24" tall	24" tall	24" tall	24" tall	24" tall with storage box

STANDARD FEATURES



MCT



MCT



MCTXL



MOTORCYCLE TRAILERS			
STANDARD FEATURES		MCT	MCTXL
	Overall Width x Length	45" x 85"	45" x 97"
	Bed Width x Length	27 x 45"	27 x 57"
	Interior Height	21.5"	21.5"
	Bed Height	14"	14"
	Coupler Size	1-7/8"	1-7/8"
	Weight	200#	225#
	Rubber Torsion Axle	1-600#	1-600#
	Wheels	12" aluminum	12" aluminum
	Lighting	LED standard 5 rnd harness	LED standard 5 rnd harness
Cooler Tray and Kick Stand	standard	standard	



PWC1 Single Place Watercraft Trailer shown w/optional jack

PWC2 Two-Place Watercraft Trailer



PWC/RAFT MODELS			
	PWC1	PWC2	8414RT
Overall Width x Length	63" x 161"	101" x 181"	84" x 220"
Bed Width	46" between fenders	82" between fenders	84"
Bed Length	1-72" adjustable bunk	2-72" adjustable bunk	168"
Bed Height	18" to side frame	18" to side frame	29.5"
Weight	245#	413#	570#
GVWR	1500#	2700#	2200#
Axle	1-1500# spring	1-2700# spring	1-2200# rubber torsion
Wheels	12" steel	13" steel	13" steel
Adjustable Winch	1	2	1
Tie Down Loops	2	3	10
Rear Roller	N/A	N/A	full width
Swivel Tongue Jack	optional	800# capacity	800# capacity
Aluminum Tongue	strait 2" coupler	strait 2" coupler	A frame 2" coupler



8414 RT Raft Trailer





AE716TAM

AE722TAV



AE46

AE610



Single Axle Enclosed Trailers



AE610



AE58



ENCLOSED - SINGLE AXLE

STANDARD FEATURES

	AE46	AE58	AE510	AE610	AE612	AE710	AE712
Overall Width x Length	64" x 120"	81" x 150"	81" x 176"	93" x 182"	93" x 206"	101" x 188"	101" x 212"
Overall Height	39"	80"	80"	92"	92"	92"	92"
Bed Width	48"	57.5"	57.5"	69.5"	69.5"	81.5"	81.5"
Bed length not including V-Nose	72"	92"	116"	116"	140"	116"	140"
V-Nose	N/A	30" standard	30" standard	36" standard	36" standard	42" standard	42" standard
Bed Height	14.5"	18.25"	18.25"	18.25"	18.25"	19.25"	19.25"
Interior Height	21"	60"	60"	72"	72"	72"	72"
Weight	340#	790#	985#	1120#	1250#	1275#	1385#
GVWR	1200#	2990#	2990#	2990#	2990#	2990#	2990#
Rubber Torsion Axle	1-1200#	1-3000#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	13" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	Lockable Lid	optional	optional	32" standard	32" standard	32" standard	32" standard
Rear Door	N/A	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp
Rear Opening	N/A	w=51.5" h=56.25"	w=51.5" h=56.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"

STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 5/16" plywood-lined walls to ceiling
- LED lighting
- Swivel tongue jack 800# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof



AE46

LED Lights - Standard on all Enclosed Trailers





AE614TA



AE714TA

ENCLOSED - TANDEM AXLE

	AE612TA	AE614TA	AE616TA	AE618TA	AE712TA	AE714TA	AE716TA	AE718TA
Overall Width x Length	93" x 216"	93" x 236"	93" x 260"	93" x 290"	101" x 218"	101" x 242"	101" x 266"	101" x 290"
Overall Height	92"	92"	92"	92"	93"	93"	93"	93"
Bed Width	69.5"	69.5"	69.5"	69.5"	81.5"	81.5"	81.5"	81.5"
Bed length not including V-Nose	142"	165"	190"	214"	142"	165"	190"	214"
V-Nose	36" standard	36" standard	36" standard	36" standard	42" standard	42" standard	42" standard	42" standard
Bed Height	18.25"	18.25"	18.25"	18.25"	19.25"	19.25"	19.25"	19.25"
Interior Height	72"	72"	72"	72"	72"	72"	72"	72"
Weight	1660#	1770#	1880#	1990#	1700#	1850#	2000#	2150#
GVWR	7000#	7000#	7000#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard
Rear Door	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp
Rear Opening	w=63.5" h=68.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"

STANDARD FEATURES

STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 5/16" plywood-lined walls to ceiling
- LED lighting
- Swivel tongue jack 1200# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof



*shown with optional spare tire,
spare tire mount and upgraded
Lock N Load wheel chocks*

SPORT PACKAGE STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 32" side door
- 5/16" white poly coated lined walls to ceiling
- LED lighting
- Swivel tongue jack 1200# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof
- Aluminum rear ramp door with cable assist
- Crank-up roof vent or (2) side vents
- Rear stabilizer legs
- (4) or (6) Flush mount tie rings
- (1) or (2) 3' motorcycle brackets

Available in 5', 6', & 7' Widths

Single Axle Enclosed Trailer



Tandem Axle Enclosed Trailer





AER Inside Trailer

*shown with optional E-Trac,
white lining upgrade on walls,
and 48" escape door*

8'6" WIDE TANDEM AXLE ENCLOSED TRAILERS						
	AER816TA	AER818TA	AER820TA	AER822TA	AER824TA	
STANDARD FEATURES	Overall Width x Length	102" x 270"	102" x 294"	102" x 319"	102" x 342"	102" x 366"
	Overall Height	103.5"	103.5"	103.5"	103.5"	103.5"
	Bed Width	99" wall to wall	99" wall to wall	99" wall to wall	99" wall to wall	99" wall to wall
	Bed Width between Fenders	83"	83"	83"	83"	83"
	Bed Length not including V-Nose	192"	216"	240"	264"	288"
	V-Nose	46" standard	46" standard	46" standard	46" standard	46" standard
	Bed Height	23.75"	23.75"	23.75"	23.75"	23.75"
	Interior Height	78"	78"	78"	78"	78"
	Weight	2580#	2760#	2940#	3120#	3300#
	GVWR	9600#	9600#	9600#	9600#	9600#
	Coupler	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
	Rubber Torsion Brakes Both Axles	2-4800#	2-4800#	2-4800#	2-4800#	2-4800#
	Wheels	15" aluminum	15" aluminum	15" aluminum	15" aluminum	15" aluminum
	Side Door	32" standard	32" standard	32" standard	32" standard	32" standard
	Rear Door	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist
Rear Opening	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	
Dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	

AER820TA



7" WIDE SNOWMOBILE/SPORT TRAILER



STANDARD FEATURES

- Full-length slider channel
- 5/8" marine grade plywood floor
- 2 interior lights with switch
- Swivel tongue jack 1200# capacity
- 5/16" plywood walls lined to ceiling
- LED lighting
- Rivetless .030 aluminum skin
- One-piece aluminum roof
- Snowmobile ski tie-downs

STANDARD FEATURES

	AE714TAV	AE718TAV	AE722TAV	AE724TAV
Overall Width x Length	102" x 260"	102" x 306"	102" x 354"	102" x 378"
Overall Height	93"	93"	93"	93"
Bed Width	81.75"	81.75"	81.75"	81.75"
Bed Length not including V-Nose	168"	216"	264"	288"
V-Nose	60" standard	60" standard	60" standard	60" standard
Bed Height	19.5"	19.5"	19.5"	19.5"
Interior Height	72"	72"	72"	72"
Weight	2020#	2220#	2420#	2570#
GVWR	7000#	7000#	7000#	7000#
Coupler	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard
Front Ramp Door	w=16.75" h=64.5"	w=16.75" h=64.5"	w=16.75" h=64.5"	w=16.75" h=64.5"
Rear Ramp Opening	w=75.5" h=67.5"	w=75.5" h=67.5"	w=75.5" h=67.5"	w=75.5" h=67.5"
Front & Rear Ramps	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist

Enclosed Snowmobile/Sport Trailer





Enclosed Snowmobile Trailer Interior

8'6" WIDE TANDEM SNOWMOBILE/SPORT TRAILER		
	AE8620	AE8624
Overall Width x Length	102" x 320"	102" x 370"
Overall Height	98"	98"
Bed Width	98.5"	98.5"
Bed Length not including V-Nose	240"	288"
V-Nose	60" standard	60" standard
Bed Height	31"	31"
Interior Height	66"	66"
Weight	2600#	2900#
GVWR	7000#	7000#
Coupler	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum
Side Door	32" standard	32" standard
Front Ramp Door	w=57.75" h=58.5"	w=57.75" h=58.5"
Rear Ramp Opening	w=92" h=65"	w=92" h=65"
Front & Rear Ramps	aluminum ramp with cable assist	aluminum ramp with cable assist

STANDARD FEATURES

AE8624
Enclosed Snowmobile/Sport Trailer



shown with optional 6" ATP down sides

DRIVE ON/OFF SNOWMOBILE TRAILERS

STANDARD FEATURES

- Full-length slider channels
- 5/8" marine grade plywood decking
- Rubber mounted sealed lights
- Aluminum ski tie-down bars

8610T & 8612T



shown w/optional salt shield

2 PLACE DRIVE ON/DRIVE OFF

STANDARD FEATURES

	8610D	8612D
Overall Width x Length	102" x 191"	102" x 215"
Bed Width x Length	100" x 120"	100" x 144"
Bed Height	24.5"	26"
Weight	450#	480#
GVWR	2200#	2200#
Rubber Torsion Axles	1-2200#	1-2200#
Wheels	10" steel	10" steel
Swivel Tongue Jack	optional	optional
Tongue	A frame 2" ball	A frame 2" ball
Floor	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional

TILT BED SNOWMOBILE TRAILERS

STANDARD FEATURES

	8605	8610T	8612T
Overall Width x Length	50" x 170"	102" x 170"	102" x 194"
Bed Width x Length	50" x 120"	100" x 120"	100" x 144"
Bed Height	24.5"	24.5"	24.5"
Weight	300#	425#	460#
GVWR	1200#	2200#	2200#
Rubber Torsion Axle	1-1200#	1-2200#	1-2200#
Wheels	10" steel	10" steel	10" steel
Swivel Tongue Jack	optional	optional	optional
Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood	5/8" marine tech plywood

Options are Available for all Model Numbers

OPTIONS

- recessed tie downs
- spare tire mounting bracket
- swivel tongue jack
- electric/surge brakes
- tongue handle
- spare tire and galphrite steel wheels
- 20.5x8.5x10" 6-ply 1105# cap./tire
- ST175/80R13 4-ply 1340# cap./tire

8612

shown w/optional combination salt shield & drive-off ramp



3 PLACE DRIVE ON/DRIVE OFF

STANDARD FEATURES

	8614	8616
Overall Width x Length	102" x 240"	102" x 264"
Bed Width x Length	100" x 168"	100" x 192"
Bed Height	26"	26"
Weight	850#	875#
GVWR	2990#	4400#
Rubber Torsion Axles	2-2200#	2-2200#
Brakes Both Axles	optional	standard
Wheels	10" steel	10" steel
Swivel Tongue Jack	750# capacity	750# capacity
Tongue	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional

8614

shown with optional 13" aluminum wheels and combo shield



8620 Snowmobile Trailer

shown with optional combination salt shield & drive-off ramp

POPULAR OPTIONS

- Tilt bed salt shield
- Combo shield for drive-on/ drive off
- 13" or 15" wheel upgrades in either steel or aluminum wheels
- Recessed tie rings
- Spare tire
- Spare tire mounting bracket
- LED lights
- Tongue handle

4 PLACE DRIVE ON/DRIVE OFF

STANDARD FEATURES

	8618	8620	8622
Overall Width x Length	102" x 288"	102" x 312"	102" x 336"
Bed Width x Length	100" x 216"	100" x 240"	100" x 264"
Bed Height	28"	28"	28"
Weight	925#	1025#	1105#
GVWR	4400#	4400#	4400#
Rubber Torsion Brakes both Axles	2-2200#	2-2200#	2-2200#
Wheels	10" steel	10" steel	10" steel
Swivel Tongue Jack	750# capacity	750# capacity	750# capacity
Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional	optional

STANDARD FEATURES

- Extruded aluminum floor with drop rear skirt
- 1/4" x 2" Rub rail with Stake pockets
- Headache rack with sealed beam lights
- 3" channel main stringers adjustable to fit different models of trucks
- Recessed sealed beam lights
2 taillights; 7 clearance lights
- License plate light
- Pre-wired and lights installed

OPTIONS

- Gooseneck Hitch opening with removable door
- Backup light
- Sides and Tailgate
- LED Upgrade

SPECIFICATIONS

	Model # 6600/6800	Model # 8100	Model # 9000	Model # 9600
BED SIZE	66" x 77"			
	66" x 87"	81" x 87"		
	68" x 87"			
		81" x 96"	90" x 96"	96" x 96"
		81" x 106"	90" x 106"	96" x 106"
		81" x 115"	90" x 115"	96" x 115"
		81" x 125"	90" x 125"	96" x 125"
			90" x 144"	96" x 144"
				96" x 168"
				96" x 192"



Shown with:

- Sides and Tailgate
- 1/4" x 2" Rub rail with Stake pockets

**Truck Bed with
Gooseneck and Trap Door**



For more information, contact your local dealer.
Specifications subject to change without notice.





"All-Aluminum Trailers"

About Aluma

In 1992 Aluma was born from a few requests from friends to have a light trailer to haul their golf carts on. Aluma started in a small building with 5 people and has grown to a 72,000-square-foot building in Bancroft, Iowa. We currently sell in all 50 states and Canada through dealers. We may have grown larger in size, but we still have the small-town values and pride shown in every trailer that we produce. We back each trailer with our 5-year all-inclusive warranty. We are a family owned and operated business proud to build products with *Quality built-in.*



THEN



NOW



Picnic tables 6', 8' & 4-sided and park bench available in tan, forest green and pewter.

101 East Seneca • Bancroft, IA 50517
866-415-3285 • Fax: 515-885-2592